Journal of the Neurological Sciences, 1988, 87: 355–357
Elsevier

Author Index (Vol. 87)

Agid, Y., see Epelbaum, J., 167
Al-Din, A.S.N., see Khuraibet, A.J., 307
Arima, R., see Nagashima, T., 141
Aynsley, A., see Shepherd, I.M., 265

Baggio, G., see Ferrero, P., 327
Benna, P., see Ferrero, P., 327
Bergamasco, B., see Ferrero, P., 327
Bergamini, L., see Ferrero, P., 327
Best, P.V., see Cooles, P., 275
Birch-Machin, M.A., see Shepherd, I.M., 265
Boerman, R.H., Peters, A.C.B., Verheij, M., Raap, A.K., van Ekdom, L.T.S., van Eer, A. and van der Ploeg, M.
Immunofluorescence detection of herpes simplex virus type 1 antigen in cerebrospinal fluid cells of experimentally infected mice, 245
Butinar, D., see Khuraibet, A.J., 307
Byrne, E., see Marzuki, S., 211

Carpenter, S., see Rubin, M., 103
Chancellor, A.M., Frith, R.W. and Shaw, N.A.
Somatosensory evoked potentials following severe head injury: loss of the thalamic potential with brain death, 255
Chiodi, F., Norkrans, G., Hagberg, L., Sönnerborg, A., Gaines, H., Frøland, S., Fenyö, E.M., Norrby, E. and Vandvik, B.
Human immunodeficiency virus infection of the brain. II. Detection of intrathecally synthesized antibodies by enzyme linked immunosorbent assay and imprint immunofixation, 37
Conti-Tronconi, B., see Kawanami, S., 195
Cooles, P., Michaud, R. and Best, P.V.
A dominantly inherited progressive disease in a black family characterised by cerebellar and retinal degeneration, external ophthalmoplegia and abnormal mitochondria, 275
Costa, P., see Ferrero, P., 327

De León, G.A., Zaeri, N. and Foley, C.M.
Olfactory hamartomas in tuberous sclerosis, 187
Dick, D.J., see Shepherd, I.M., 265
Droste, M., see Johnson, M.A., 75
Droste, M., see Shepherd, I.M., 265
Dubowitz, V., see Patel, K., 315
Dunn, M.J., see Patel, K., 315

Endo, C., see Shibasaki, H., 15
Enjalbert, A., see Epelbaum, J., 167
Epelbaum, J., Javoy-Agid, F., Enjalbert, A., Krantic, S., Kordon, C. and Agid, Y.
Somatostatin concentrations and binding sites in human frontal cortex are differentially affected in Parkinson's disease associated dementia and in progressive supranuclear palsy, 167

Fenyö, E.M., see Chiodi, F., 37
Ferrero, P., Benna, P., Costa, P., Tarenzi, L., Baggio, G., Bergamasco, B. and Bergamini, L.
Diazepam binding inhibitor-like immunoreactivity (DBI-LI) in human CSF. Correlations with neurological disorders, 327
Foley, C.M., see De León, G.A., 187
Frith, R.W., see Chancellor, A.M., 255
Frøland, S., see Chiodi, F., 37

Gaines, H., see Chiodi, F., 37
Gambi, D., see Uncini, A., 299
Goss-Sampson, M.A., MacEvilly, C.J. and Muller, D.P.R.
Longitudinal studies of the neurobiology of vitamin E and other antioxidant systems, and neurological function in the vitamin E deficient rat, 25
Goto, I., see Kira, J.-i., 221
Goto, I., see Minata, S.-i., 233

Hagberg, L., see Chiodi, F., 37
Hasuo, K., see Kira, J.-i., 221
Hersch, M.I., see Satchell, P.M., 289
Hirose, K., see Nagashima, T., 141
Hyser, C.L., Kissel, J.T., Warmolts, J.R. and Mendell, J.R.

0022-510X/88/$03.50 © 1988 Elsevier Science Publishers B.V. (Biomedical Division)

Scapuloperoneal neuropathy: a distinct clinico-pathologic entity, 91

Inoue, K., see Kusunoki, S., 61
Itoyama, Y., see Kira, J.-i., 221
Itoyama, Y., see Minato, S.-i., 233

Javoy-Agid, F., see Epelbaum, J., 167
Johns, T.R., see Kim, Y.I., 1
Johnson, M.A., Kadenbach, B., Droste, M., Old, S.L. and Turnbull, D.M.
Immunocytochemical studies of cytochrome oxidase subunits in skeletal muscle of patients with partial cytochrome oxidase deficiencies, 75
Johnson, M.A., see Shepherd, I.M., 265

Kadenbach, B., see Johnson, M.A., 75
Kadenbach, B., see Shepherd, I.M., 265
Kakigi, R., see Shibasaki, H., 15
Karpati, G., see Rubin, M., 103
Kato, M., see Kira, J.-i., 221
Kawanami, S., Conti-Tronconi, B., Racs, J. and Raftery, M.A.
Isolation and characterization of nicotinic acetylcholine receptor-like protein from fetal calf thymus, 195
Khuraibet, A.J., Shakir, R.A., Trontelj, J.V., Butinar, D. and Al-Din, A.S.N.
Brainstem auditory evoked potential (BAEP) abnormalities in brucellosis, 307
Kim, Y.I., Sanders, D.B., Johns, T.R., Phillips, L.H. and Smith, R.E.
Lambert-Eaton myasthenic syndrome: the lack of short-term in vitro effects of serum factors on neuromuscular transmission, 1
King, M.D., see Shepherd, I.M., 265
Kinoshita, E., Nakamura, T., Satoh, A., Matsuo, H., Seto, M., Tomita, I., Tsujiata, M. and Nagataki, S.
Role of the macrophage in the pathogenesis of experimental autoimmune myasthenia gravis, 49
Kira, J.-i., Minato, S.-i., Itoyama, Y., Goto, I., Kato, M. and Hasuo, K.
Leukoencephalopathy in HTLV-I-associated myelopathy: MRI and EEG data, 221
Kissel, J.T., see Hyser, C.L., 91
Klavins, M.H., see Rubin, M., 103
Komine, S.-I., see Shibasaki, H., 15
Kordon, C., see Epelbaum, J., 167
Krantic, S., see Epelbaum, J., 167
Kurdoa, Y., see Shibasaki, H., 15

Kusunoki, S., Tsuji, S., Inoue, K., Mannen, T. and Nagai, Y.
Combined features of myasthenia gravis and Eaton-Lambert syndrome: antiganglioside antibodies in serum, 61
Lovelace, R.E., see Uncini, A., 299

MacEvilly, C.J., see Goss-Sampson, M.A., 25
Mahuran, D.J., see Rubin, M., 103
Mannen, T., see Kusunoki, S., 61
Mannen, T., see Nagashima, T., 141
Marzuki, S., Sattayasai, N., Trounce, I. and Byrne, E.
Protein synthesis in mitochondria isolated from human skeletal muscle. Detection of polymorphism in mitochondrial translation products, 211
Matsuo, H., see Kinoshita, E., 49
Mendell, J.R., see Hyser, C.L., 91
Michaud, R., see Cooles, P., 275
Mikel, J., see Wright, G.D.S., 153
Minato, S.-i., Itoyama, Y., Goto, I. and Yamamoto, N.
Expression of HTLV-I antigen in cultured peripheral blood mononuclear cells from patients with HTLV-I associated myelopathy, 233
Minato, S.-i., see Kira, J.-i., 221
Morimatsu, Y., see Nagashima, T., 141
Muller, D.P.R., see Goss-Sampson, M.A., 25

Nagai, Y., see Kusunoki, S., 61
Nagashima, K., see Nagashima, T., 141
Nagashima, T., Seko, K., Hirose, K., Mannen, T., Yoshimura, S., Arima, R., Nagashima, K. and Morimatsu, Y.
Familial bulbo-spinal muscular atrophy associated with testicular atrophy and sensory neuropathy (Kennedy-Alter-Sung syndrome). Autopsy case report of two brothers, 141
Nagataki, S., see Kinoshita, E., 49
Nakamura, T., see Kinoshita, E., 49
Norkrans, G., see Chiodi, F., 37
Norrby, E., see Chiodi, F., 37

Oda, K.-I., see Shibasaki, H., 15
Old, S.L., see Johnson, M.A., 75

Pamphlett, R.
Axonal sprouting after botulinum toxin does not elicit a histological axon reaction, 175
Patel, K., Voit, T., Dunn, M.J., Strong, P.N. and Dubowitz, V.
Dystrophin and nebulin in the muscular dys-

trophies, 315
Patel, M.K., see Wright, G.D.S., 153
Peters, A.C.B., see Boerman, R.H., 245
Phillips, L.H., see Kim, Y.I., 1
Pullman, S.L., see Uncini, A., 299

Raap, A.K., see Boerman, R.H., 245
Racs, J., see Kawanami, S., 195
Raftery, M.A., see Kawanami, S., 195
Román, G.C. and Román, L.N.
Tropical spastic paraparesis. A clinical study of 50 patients from Tumaco (Colombia) and review of the worldwide features of the syndrome, 121
Román, L.N., see Román, G.C., 121
Rubin, M., Karpati, G., Wolfe, L.S., Carpenter, S., Klavins, M.H. and Mahuran, D.J.
Adult onset motor neuronopathy in the juvenile type of hexosaminidase A and B deficiency, 103

Sadeh, M.
Effects of aging on skeletal muscle regeneration, 67
Sanders, D.B., see Kim, Y.I., 1
Satchell, P.M. and Hersch, M.I.
Firing rate may be a determinant of nerve fibre vulnerability in axonopathies, 289
Satoh, A., see Kinoshita, E., 49
Sattayasai, N., see Marzuki, S., 211
Seko, K., see Nagashima, T., 141
Seto, M., see Kinoshita, E., 49
Shakir, R.A., see Khuraibet, A.J., 307
Shaw, N.A., see Chancellor, A.M., 255
Shepherd, I.M., Birch-Machin, M.A., Johnson, M.A., Sherratt, H.S.A., Aynsley-Green, A., Droste, M., Kadenbach, B., Stephenson, J.B.P., King, M.D., Dick, D.J. and Turnbull, D.M.
Cytochrome oxidase deficiency: immunological studies of skeletal muscle mitochondrial fractions, 265
Sherratt, H.S.A., see Shepherd, I.M., 265
Shibasaki, H., Endo, C., Kurdoa, Y., Kakigi, R., Oda, K.-I. and Komine, S.-I.
Clinical picture of HTLV-I associated myelopathy, 15
Smith, R.E., see Kim, Y.I., 1
Stephenson, J.B.P., see Shepherd, I.M., 265
Strong, P.N., see Patel, K., 315
Sönnerborg, A., see Chiodi, F., 37

Tarenzi, L., see Ferrero, P., 327
Tomita, I., see Kinoshita, E., 49
Trontelj, J.V., see Khuraibet, A.J., 307
Trounce, I., see Marzuki, S., 211
Tsuji, S., see Kusunoki, S., 61
Tsujihata, M., see Kinoshita, E., 49
Turnbull, D.M., see Johnson, M.A., 75
Turnbull, D.M., see Shepherd, I.M., 265

Uncini, A., Pullman, S.L., Lovelace, R.E. and Gambi, D.
The sympathetic skin response: normal values, elucidation of afferent components and application limits, 299

Van Eer, A., see Boerman, R.H., 245
Van Ekdom, L.T.S., see Boerman, R.H., 245
Van der Ploeg, M., see Boerman, R.H., 245
Vandvik, B., see Chiodi, F., 37
Verheij, M., see Boerman, R.H., 245
Voit, T., see Patel, K., 315

Warmolts, J.R., see Hyser, C.L., 91
Wolfe, L.S., see Rubin, M., 103
Wright, G.D.S., Patel, M.K. and Mikel, J.
An adult onset metachromatic leukodystrophy with dominant inheritance and normal arylsulphatase A levels, 153

Yamamoto, N., see Minato, S.-i., 233
Yoshimura, S., see Nagashima, T., 141

Zaeri, N., see De León, G.A., 187

Journal of the Neurological Sciences, 1988, 87: 358–359
Elsevier

Subject Index (Vol. 87)

Acetylcholine receptor, 195
Acetylcholine release, 1
Acrylamide, 289
Adult metachromic leukodystrophy, 153
Afferent nerve fibre conduction, 299
Aging, 67
Antibody titer to acetylcholine receptor, 49
Anti-glycolipid antibody, 61
Antioxidant enzymes, 25
Autoantibodies, 1
Autosomal dominant, 153
Axon reaction, 175
Axonal sprouting, 175
Axonal transport, 25
Axonopathy, 289

Benzodiazepine, 327
Botulinum toxin, 175
Brain death, 255
Brain somatostatin receptors, 167
Brainstem auditory evoked potentials, 307
Brucellosis, 307
Bulbo-spinal muscular atrophy, 141

Calcium channels, 1
Central nervous system, 37
Cerebral malformation, 187
Cerebrospinal fluid, 245, 327
Clinical analysis, 15
Clinicopathological entity, 91
Cytochrome oxidase, 75
Cytochrome oxidase deficiency, 265

Dementia, 167, 327
Demyelination, 307
Diazepam binding inhibitor, 327
Dystrophin, 315

Electroencephalography, 221
Enzyme subunits, 75
Experimental autoimmune myasthenia gravis, 49
Experimental herpes simplex encephalitis, 245

Fibre vulnerability, 289
Firing rate, 289

Gamma-aminobutyric acid, 327
Ganglioside, 61
Germinal layer, 187
GIN 14, 233

Hamartoma, 187
Head injury, 255
Hereditary ataxia, 275
Hexosaminidase deficiency, 103
HTLV-I, 121, 221
HTLV-I antigen, 233
HTLV-I associated myelopathy, 15
HTLV-I-associated myelopathy (HAM), 233
Human immunodeficiency virus, 37

Immunoblotting, 265
Immunofluorescence, 245
Immunolabelling, 75
Intrathecal antibody production, 37

Kennedy-Alter-Sung (KAS) syndrome, 141

Lambert-Eaton myasthenic syndrome, 1
Leukoencephalopathy, 221
Leukomyelitis, 15
Lymphocyte culture, 233

Macrophage, 49
Magnetic resonance imaging, 221
Mechanoreceptor, 289
Mitochondrial cytopathy, 211
Mitochondrial myopathy, 75, 211
Mitochondrial protein synthesis, 211
Mitochondrionopathy, 275
Motor nerve terminal, 1
Motor neuropathy, 103
Muscle fibre regeneration, 67
Muscle mitochondria, 265
Muscular dystrophy, Becker type, 315

Muscular dystrophy, Duchenne type, 315
Myasthenia gravis, 61, 195
Myasthenic syndrome, 61
Myelopathy, 121, 221

Nebulin, 315
Nerve conduction, 299
Neuroelectrophysiology, 25
Neuroepidemiology, 121
Neurofilament protein, 175
Neurological function, 25
Neurological manifestations, 307
Neuro-retinal degeneration, 275
Normal arylsulphatase A, 153
Northern blot analysis, 103

Olfactory lobe, 187
Ophthalmoplegia, 275

Paraplegia, 275
Parkinson's disease, 167, 327
Pathophysiology, 15
Peripheral autonomic surface potential, 299
Peripheral neuropathy, 91, 299
Postural hypotension, 153
Progressive supranuclear palsy, 167
Protein polymorphism, 211

Quantal content, 1

Retinal degeneration, 275
Retroviruses, 121
Rhabdomyoma of the heart, 187

Scapuloperoneal neuropathy, 91
Sensory neuropathy, 141
Serum factors, 1
Silent CNS lesions, 307
Silica, 49
Somatosensory evoked potential, 255
Sympathetic skin response, 299

Testicular atrophy, 141
Thalamic potential, 255
Thymus, 195
Tocopherol, 25
Tropical neurology, 121
Tropical spastic paraparesis, 121
Tuberous sclerosis, 187

Vagus, 289
Vitamin E deficiency, 25

X-linked recessive inheritance, 141

Journal of the Neurological Sciences, 1988, 87: 360–361
Elsevier

Table of Contents (Vol. 87)

Number 1 – October 1988

Lambert-Eaton myasthenic syndrome: the lack of short-term in vitro effects of serum factors on neuromuscular transmission (JNS 03035)
Y.I. Kim, D.B. Sanders, T.R. Johns, L.H. Phillips and R.E. Smith (U.S.A.) 1

Clinical picture of HTLV-I associated myelopathy (JNS 03041)
H. Shibasaki, C. Endo, Y. Kuroda, R. Kakigi, K.-I. Oda and S.-I. Komine (Japan) . 15

Longitudinal studies of the neurobiology of vitamin E and other antioxidant systems, and neurological function in the vitamin E deficient rat (JNS 03042)
M.A. Goss-Sampson, C.J. MacEvilly and D.P.R. Muller (U.K.) 25

Human immunodeficiency virus infection of the brain. II. Detection of intrathecally synthesized antibodies by enzyme linked immunosorbent assay and imprint immunofixation (JNS 03043)
F. Chiodi, G. Norkrans, L. Hagberg, A. Sönnerborg, H. Gaines, S. Frøland, E.M. Fenyö, E. Norrby and B. Vandvik (Sweden, Norway) 37

Role of the macrophage in the pathogenesis of experimental autoimmune myasthenia gravis (JNS 03045)
E. Kinoshita, T. Nakamura, A. Satoh, H. Matsuo, M. Seto, I. Tomita, M. Tsujihata and S. Nagataki (Japan) 49

Combined features of myasthenia gravis and Eaton-Lambert syndrome: anti-ganglioside antibodies in serum (JNS 03046)
S. Kusunoki, S. Tsuji, K. Inoue, T. Mannen and Y. Nagai (Japan) 61

Effects of aging on skeletal muscle regeneration (JNS 03047)
M. Sadeh (Israel) 67

Immunocytochemical studies of cytochrome oxidase subunits in skeletal muscle of patients with partial cytochrome oxidase deficiencies (JNS 03048)
M.A. Johnson, B. Kadenbach, M. Droste, S.L. Old and D.M. Turnbull (U.K., F.R.G.) . . . 75

Scapuloperoneal neuropathy: a distinct clinicopathologic entity (JNS 03049)
C.L. Hyser, J.T. Kissel, J.R. Warmolts and J.R. Mendell (U.S.A.) 91

Adult onset motor neuronopathy in the juvenile type of hexosaminidase A and B deficiency (JNS 03050)
M. Rubin, G. Karpati, L.S. Wolfe, S. Carpenter, M.H. Klavins and D.J. Mahuran (Canada) 103

Tropical spastic paraparesis. A clinical study of 50 patients from Tumaco (Colombia) and review of the worldwide features of the syndrome (JNS 03051)
G.C. Román and L.N. Román (U.S.A.) 121

Book reviews 139

Announcements 140

Number 2,3 – November 1988

Familial bulbo-spinal muscular atrophy associated with testicular atrophy and sensory neuropathy (Kennedy-Alter-Sung syndrome). Autopsy case report of two brothers (JNS 03052)
T. Nagashima, K. Seko, K. Hirose, T. Mannen, S. Yoshimura, R. Arima, K. Nagashima and Y. Morimatsu (Japan) 141

An adult onset metachromatic leukodystrophy with dominant inheritance and normal arylsulphatase A levels (JNS 03053)

G.D.S. Wright, M.K. Patel and J. Mikel (U.K.) 153
Somatostatin concentrations and binding sites in human frontal cortex are differentially affected in Parkinson's disease associated dementia and in progressive supranuclear palsy (JNS 03054)
J. Epelbaum, F. Javoy-Agid, A. Enjalbert, S. Krantic, C. Kordon and Y. Agid (France) 167
Axonal sprouting after botulinum toxin does not elicit a histological axon reaction (JNS 03055)
R. Pamphlett (U.K.) 175
Olfactory hamartomas in tuberous sclerosis (JNS 03056)
G.A. de León, N. Zaeri and C.M. Foley (U.S.A.) 187
Isolation and characterization of nicotinic acetylcholine receptor-like protein from fetal calf thymus (JNS 03057)
S. Kawanami, B. Conti-Tronconi, J. Racs and M.A. Raftery (U.S.A.) 195
Protein synthesis in mitochondria isolated from human skeletal muscle. Detection of polymorphism in mitochondrial translation products (JNS 03058)
S. Marzuki, N. Sattayasai, I. Trounce and E. Byrne (Australia) 211
Leukoencephalopathy in HTLV-I-associated myelopathy: MRI and EEG data (JNS 03059)
J.-i. Kira, S.-i. Minato, Y. Itoyama, I. Goto, M. Kato and K. Hasuo (Japan) 221
Expression of HTLV-I antigen in cultured peripheral blood mononuclear cells from patients with HTLV-I associated myelopathy (JNS 03060)
S.-i. Minato, Y. Itoyama, I. Goto and N. Yamamoto (Japan) 233
Immunofluorescence detection of herpes simplex virus type 1 antigen in cerebrospinal fluid cells of experimentally infected mice (JNS 03061)
R.H. Boerman, A.C.B. Peters, M. Verheij, A.K. Raap, L.T.S. van Ekdom, A. van Eer and M. van der Ploeg (The Netherlands) 245
Somatosensory evoked potentials following severe head injury: loss of the thalamic potenital with brain death (JNS 03062)
A.M. Chancellor, R.W. Frith and N.A. Shaw (New Zealand) 255
Cytochrome oxidase deficiency: immunological studies of skeletal muscle mitochondrial fractions (JNS 03063)
I.M. Shepherd, M.A. Birch-Machin, M.A. Johnson, H.S.A. Sherratt, A. Aynsley-Green, M. Droste, B. Kadenbach, J.B.P. Stephenson, M.D. King, D.J. Dick and D.M. Turnbull (U.K., F.R.G.) 265
A dominantly inherited progressive disease in a black family characterised by cerebellar and retinal degeneration, external ophthalmoplegia and abnormal mitochondria (JNS 03064)
P. Cooles, R. Michaud and P.V. Best (Dominica, U.K.) 275
Firing rate may be a determinant of nerve fibre vulnerability in axonopathies (JNS 03065)
P.M. Satchell and M.I. Hersch (Australia) 289
The sympathetic skin response: normal values, elucidation of afferent components and application limits (JNS 03066)
A. Uncini, S.L. Pullman, R.E. Lovelace and D. Gambi (Italy, U.S.A.) 299
Brainstem auditory evoked potential (BAEP) abnormalities in brucellosis (JNS 03067)
A.J. Khuraibet, R.A. Shakir, J.V. Trontelj, D. Butinar and A.S.N. Al-Din (Kuwait, Yugoslavia) 307
Dystrophin and nebulin in the muscular dystrophies (JNS 03069)
K. Patel, T. Voit, M.J. Dunn, P.N. Strong and V. Dubowitz (U.K.) 315
Diazepam binding inhibitor-like immunoreactivity (DBI-LI) in human CSF. Correlations with neurological disorders (JNS 03044)
P. Ferrero, P. Benna, P. Costa, L. Tarenzi, G. Baggio, B. Bergamasco and L. Bergamini (Italy) 327

Book reviews 351

News and Notes 353

Author Index (Vol. 87) 355

Subject Index (Vol. 87) 358